

# Questions in Action Models

LogiCIC Workshop 2016

Thom van Gessel

November 19, 2016

Institute for Logic, Language and Computation



Questions often guide information updates:

- Information exchange through communication: asking *questions* and providing *answers*;
- Scientific inquiry: performing experiments and obtaining results, formulating a research agenda.

We can describe these processes more accurately if we add *questions* to DEL.


- DELQ (van Benthem & Minică 2012)
- IDEL (Ciardelli & Roelofsen 2015)

Statements convey *information*, while questions raise *issues*.


|          | DELQ       | IDEL                   |
|----------|------------|------------------------|
| Issues   | Partition  | Inquisitive            |
| Formulas | Statements | Statements & questions |

**Table 1:** Comparison of DELQ and IDEL


# Partition vs inquisitive notion of issues



(a) Polar question



(b) If John comes to the party ( $q$ ), does Mary come ( $p$ )?



(c) Does John speak English ( $p$ ), or French ( $q$ )?

**Figure 1:** Not all issues are partition issues

|          | DELQ       | IDEL                   |
|----------|------------|------------------------|
| Issues   | Partition  | Inquisitive            |
| Formulas | Statements | Statements & questions |

**Table 1:** Comparison of DELQ and IDEL

“Anna wonders whether Peter is coming to the party”

$Wa?p$

“If Peter comes to the party, does Quinn come?”

$p \rightarrow ?q$

IDEL only encodes *public* announcements.

Sometimes, not everyone is aware of what is being stated or asked.

|   | No questions | Questions based on partition semantics | Questions based on inquisitive semantics |
|---|--------------|--|--|
| Static  | EL           | ELQ                                    | IEL                                      |
| Dynamic with public announcements             | PAL          | DELQ                                   | IDEL                                     |
| Dynamic with public and private announcements | AML          | ELQ <sub>m</sub>                       |  |

**Table 2:** Overview of standard, partition-based and inquisitive epistemic logics

# Table of contents


1. Inquisitive Epistemic Logic
2. Action Models with Questions
3. Logical language
4. Axiomatization
5. Conclusion

# Inquisitive Epistemic Logic

---

# Inquisitive Epistemic Logic

Formulas are evaluated in *information states*:




$$s \models \varphi \vee \psi$$




$$s \models \varphi \text{ or } s \models \psi$$

# Inquisitive Epistemic Logic




$$\models p \vee \neg p$$

# Inquisitive Epistemic Logic



$$?\varphi := \varphi \vee \neg\varphi$$

# Inquisitive Epistemic Logic



**Figure 2:** Question vs statement


## Inquisitive Epistemic Model (Ciardelli & Roelofsen, 2015)

An inquisitive epistemic model is a triple  $M = \langle W, \{\Sigma_a \mid a \in \mathcal{A}\}, V \rangle$  where:

- $W$  is the domain of worlds;
- $\mathcal{A}$  is the domain of agents;
- For  $w \in W$ ,  $\Sigma_a(w)$  is a downward closed set of information states;
- $V$  is a valuation function.

For each world  $w$ ,  $a$ 's information state  $\sigma_a(w) := \bigcup \Sigma_a(w)$ .

# Example



**Figure 3:** A state map in an inquisitive epistemic model

## Syntax


$\varphi ::= p \mid \perp \mid \varphi \wedge \varphi \mid \varphi \rightarrow \varphi \mid \varphi \vee \varphi \mid K_a\varphi \mid E_a\varphi$

## Semantics

$M, w \models K_a\varphi \iff M, \sigma_a(w) \models \varphi$

$M, w \models E_a\varphi \iff \text{for all } t \in \Sigma_a(w) : M, t \models \varphi$

- $K_a\varphi$ : the information state of  $a$  supports  $\varphi$  ( $a$  knows  $\varphi$ )
- $E_a\varphi$ : all information states  $a$  desires to be in support  $\varphi$  ( $a$  entertains  $\varphi$ )



**Figure 4:** Public utterance in IDEL

# Action Models with Questions

---

# Action Models with Questions

In standard action models (Baltag et al. 1998), the *precondition* of an epistemic action determines what the action conveys (its *content*).

In a setting with questions, these two notions come apart.

## Action Models with Questions

The *content* is a formula that expresses what the action conveys.

The *precondition* is a formula that expresses what has to be true for the action to be truthfully executed.

Example: if the content of an action is  $p \vee q$ , its precondition is  $p \vee q$ .

## Definition

An AMLQ action model is a triple  $M = \langle S, \{\sim_a \mid a \in \mathcal{A}\}, \text{cont} \rangle$ , where:

- $S$  is a finite domain of action points;
- For each  $a \in \mathcal{A}$ ,  $\sim_a$  is an equivalence relation on  $S$ ;
- $\text{cont} : S \rightarrow \mathcal{L}^{\text{IEL}}$  is a function that assigns a content  $\text{cont}(x) \in \mathcal{L}^{\text{IEL}}$  to each action point  $x \in S$ .

Given an action  $x$ , its precondition  $\text{pre}(x)$  is a formula expressing the informative content of  $\text{cont}(x)$ .

## Update procedure <sup>(1/2)</sup>

$M' = (M \otimes M)$  is the product update of  $M$  and  $M$ , defined as follows.

$M' = \langle W', \{\Sigma'_a \mid a \in \mathcal{A}\}, V' \rangle$ , where:

- $W' = \{\langle w, x \rangle \mid w \in W, x \in S \text{ and } M, w \models \text{pre}(x)\}$
- $\langle w, x \rangle \in V'(p)$  iff  $w \in V(p)$
- $s \in \Sigma'_a(\langle w, x \rangle)$  iff ...

Some assumptions:

- No forgetting
- Curious agents:
  - They will entertain all questions they think are asked;
  - They either know or *want* to know which action happens.

## Projection operator

$$\pi_1(s) := \{w \mid \langle w, x \rangle \in s \text{ for some } x\}$$

$$\pi_2(s) := \{x \mid \langle w, x \rangle \in s \text{ for some } w\}$$

## Update procedure (2/2)

$s \in \Sigma'_a(\langle w, x \rangle)$  iff ...

- (i)
- (ii)
- (iii)
- (iv)

## Projection operator

$$\pi_1(s) := \{w \mid \langle w, x \rangle \in s \text{ for some } x\}$$

$$\pi_2(s) := \{x \mid \langle w, x \rangle \in s \text{ for some } w\}$$

## Update procedure (2/2)

$s \in \Sigma'_a(\langle w, x \rangle)$  iff ...

(i)  $\pi_1(s) \in \Sigma_a(w)$

no forgetting, also for issues

(ii)

(iii)

(iv)

## Projection operator

$$\pi_1(s) := \{w \mid \langle w, x \rangle \in s \text{ for some } x\}$$

$$\pi_2(s) := \{x \mid \langle w, x \rangle \in s \text{ for some } w\}$$

## Update procedure (2/2)

$s \in \Sigma'_a(\langle w, x \rangle)$  iff ...

(i)  $\pi_1(s) \in \Sigma_a(w)$

(ii)  $\forall y \in \pi_2(s) : x \sim_a y$

no forgetting, with respect to actions

(iii)

(iv)

## Projection operator

$$\pi_1(s) := \{w \mid \langle w, x \rangle \in s \text{ for some } x\}$$

$$\pi_2(s) := \{x \mid \langle w, x \rangle \in s \text{ for some } w\}$$

## Update procedure (2/2)

$s \in \Sigma'_a(\langle w, x \rangle)$  iff ...

(i)  $\pi_1(s) \in \Sigma_a(w)$

(ii)  $\forall y \in \pi_2(s) : x \sim_a y$

(iii) There is at most one  $y \in \pi_2(s)$

states specify an action (curiosity)

(iv)

## Projection operator

$$\pi_1(s) := \{w \mid \langle w, x \rangle \in s \text{ for some } x\}$$

$$\pi_2(s) := \{x \mid \langle w, x \rangle \in s \text{ for some } w\}$$


## Update procedure (2/2)

$s \in \Sigma'_a(\langle w, x \rangle)$  iff ...


- (i)  $\pi_1(s) \in \Sigma_a(w)$
- (ii)  $\forall y \in \pi_2(s) : x \sim_a y$
- (iii) There is at most one  $y \in \pi_2(s)$
- (iv)  $\forall y \in \pi_2(s) : M, \pi_1(s) \models \text{cont}(y)$

action content can raise issues (curiosity)

# Example




(a) State map of  $a$  and  $b$  before action




(b) Action model

**Figure 5:** Original model and action model


# Example




(a) State map of  $a$  and  $b$  before action



(b) Action model



(c) State map of  $a$  after action



(d) State map of  $b$  after action

**Figure 6:** Original model, action model and product update

# Logical language

---

# Dynamic modalities

## Single actions or sets of actions

$[x]\varphi$  : ‘after  $x$ , our information supports  $\varphi$ ’

$[s]\varphi$  : ‘incorporating the information that some action in  $s$  has taken place, our information supports  $\varphi$ ’

Let  $s$  be a state in  $M$  and let  $t$  be a state in  $M$ . Let  $M' = M \otimes M$ .

## Updated state

$$s[t] = \{\langle w, x \rangle \in W' \mid w \in s \text{ and } x \in t\}$$

## Support condition

$$M, s \models [t]\varphi \iff M', s[t] \models \varphi$$

# Dynamic modalities

A set modality is interpreted as partial information about the action taking place. Therefore we have:

## Proposition

$$[\{x, y\}] \varphi \not\equiv [x] \varphi \wedge [y] \varphi$$

Since  $\varphi$  may be a question that is supported both after  $x$  and after  $y$ , but not in the same way.

## Proposition

If  $\alpha$  is a statement, then

$$[\{x, y\}] \alpha \equiv [x] \alpha \wedge [y] \alpha$$

# Axiomatization

---

# Axiomatization

By means of reduction to IEL:

$$[s]\alpha \equiv \bigwedge_{x \in s} [x]\alpha$$

$$[x]p \equiv \text{pre}(x) \rightarrow p$$

$$[x]\perp \equiv \neg \text{pre}(x)$$

$$[s](\varphi \wedge \psi) \equiv [s]\varphi \wedge [s]\psi$$

$$[s](\varphi \vee \psi) \equiv [s]\varphi \vee [s]\psi$$

$$[x](\varphi \rightarrow \psi) \equiv [x]\varphi \rightarrow [x]\psi$$

$$[x]K_a\varphi \equiv \text{pre}(x) \rightarrow K_a[[x] \sim_a] \varphi$$

$$[x]E_a\varphi \equiv \text{pre}(x) \rightarrow \bigwedge_{y \sim_a x} E_a(\text{cont}(y) \rightarrow [y]\varphi)$$

Where  $\alpha$  ranges over statements, and  $[x] \sim_a$  is  $a$ 's equivalence class of  $x$ .

## Conclusion

---

# Conclusion

We can use Action Models with Questions to describe private exchanges of information *and questions*, and compute their effects.

The logic AMLQ contains AML and IEL.

It is a conservative extension of both.

It generalizes IDEL to private utterances in a natural way.

## Suggestions for further work

- Adding *issues* to action models
- Doxastic logic, belief revision
- Common issues
- Protocols, questioning strategies

A. Baltag, L. S. Moss, and S. Solecki.

**The logic of public announcements, common knowledge, and private suspicions.**

In *Proceedings of the 7th conference on theoretical aspects of rationality and knowledge*, pages 43–56. Morgan Kaufmann Publishers Inc., 1998.

I. Ciardelli and F. Roelofsen.

**Inquisitive dynamic epistemic logic.**

*Synthese*, 192(6):1643–1687, 2015.

J. van Benthem and Ş. Minică.

**Toward a dynamic logic of questions.**

*Journal of Philosophical Logic*, 41(4):633–669, 2012.